

# 果樹蟲害防治曆

## 柑桔蟲害防治曆

| 時 間     | 主要蟲害       | 藥 劑           | 稀釋倍數(倍) | 安全採收期(天) |
|---------|------------|---------------|---------|----------|
| 1 至 3 月 | 柑桔葉蟬、露蟬    | 20%畢達本可濕性粉劑   | 3,000   | 6        |
|         |            | 50%芬佈賜可濕性粉劑   | 2,000   | 60       |
|         |            | 95%礦物油乳劑      | 95      |          |
|         |            | 5%芬普瑞水懸劑      | 1,000   | 21       |
|         | 薊馬         | 48.34%丁基加保扶乳劑 | 1,000   | 21       |
|         | 柑桔木虱、刺粉虱   | 44%大滅松乳劑      | 1,000   |          |
|         | 柑桔木虱刺粉虱刺粉虱 | 40.64%加保扶水懸劑  | 1,200   | 7        |
|         | 柑桔木虱、刺粉虱   | 50%馬拉松乳劑      | 800     | 4        |
|         | 蚜蟲         | 44%大滅松乳劑      | 1,000   |          |
|         |            | 50%馬拉松乳劑      | 800     | 4        |
|         |            | 40%丁基加保扶可濕性粉劑 | 1,200   | 20       |
|         |            | 40.64 加保扶水懸劑  | 1,200   | 10       |
|         | 介殼蟲        | 50%馬拉松乳劑      | 800     | 4        |
|         |            | 44%大滅松乳劑      | 1,000   |          |
|         |            | 95%礦物油乳劑      | 95      |          |
|         |            | 31.6%丁基加保扶乳劑  | 400     | 21       |
| 4 至 6 月 | 柑桔葉蟬、露蟬    | 20%畢達本可濕性粉劑   | 3,000   | 6        |
|         |            | 50%芬佈賜可濕性粉劑   | 2,000   | 60       |
|         |            | 95%礦物油乳劑      | 95      |          |
|         |            | 5%芬普瑞水懸劑      | 1,000   | 21       |
|         | 薊馬         | 48.34%丁基加保扶乳劑 | 1,000   | 21       |
|         | 椿象類        | 50%加保利可濕性粉劑   | 500     |          |
|         |            | 44%大滅松乳劑      | 1,000   |          |
|         | 柑桔木虱、刺粉虱   | 44%大滅松乳劑      | 1,000   |          |
|         |            | 40.64%加保扶水懸劑  | 1,200   | 7        |
|         |            | 50%馬拉松乳劑      | 800     | 4        |
|         | 蚜蟲         | 44%大滅松乳劑      | 1,000   |          |
|         |            | 50%馬拉松乳劑      | 800     | 4        |
|         |            | 40%丁基加保扶可濕性粉劑 | 1,200   | 20       |
|         |            | 40.64 加保扶水懸劑  | 1,200   | 10       |
|         | 介殼蟲        | 50%馬拉松乳劑      | 800     | 4        |
|         |            | 44%大滅松乳劑      | 1,000   |          |
|         |            | 95%礦物油乳劑      | 95      |          |
|         |            | 31.6%丁基加保扶乳劑  | 400     | 21       |
|         | 柑桔潛葉蛾      | 2.5%賽洛寧微乳劑    | 4,000   | 14       |
|         |            | 2.5%芬糖克可濕性粉劑  | 2,000   | 12       |

| 時間        | 主要蟲害     | 藥劑            | 稀释倍数(倍) | 安全採收期(天) |
|-----------|----------|---------------|---------|----------|
| 4 至 6 月   | 柑桔薊馬蛾    | 50%馬拉松乳劑      | 800     | 4        |
|           | 星天牛      | 40.64%加保扶水懸劑  | 100     | 10       |
| 7 至 9 月   | 柑桔葉蟬、網蝽  | 20%畢達本可濕性粉劑   | 3,000   | 6        |
|           |          | 50%芬佈賜可濕性粉劑   | 2,000   | 60       |
|           |          | 95%礦物油乳劑      | 95      |          |
|           |          | 5%芬普蟎水懸劑      | 1,000   | 21       |
|           | 薊馬       | 48.84%丁基加保扶乳劑 | 1,000   | 21       |
|           | 椿象類      | 50%加保利可濕性粉劑   | 500     |          |
|           |          | 44%大滅松乳劑      | 1,000   |          |
|           | 柑桔木虱、刺粉虱 | 44%大滅松乳劑      | 1,000   |          |
|           |          | 40.64%加保扶水懸劑  | 1,200   | 7        |
|           |          | 50%馬拉松乳劑      | 800     | 4        |
|           | 蚜蟲       | 50%馬拉松乳劑      | 800     | 4        |
|           |          | 40%丁基加保扶可濕性粉劑 | 1,200   | 20       |
|           |          | 40.64%加保扶水懸劑  | 1,200   | 10       |
|           | 介殼蟲      | 50%馬拉松乳劑      | 800     | 4        |
|           |          | 44%大滅松乳劑      | 1,000   |          |
|           |          | 95%礦物油乳劑      | 95      |          |
|           |          | 31.6%丁基加保扶乳劑  | 400     | 21       |
|           | 柑桔薊馬蛾    | 2.5%賽洛寧乳劑     | 4,000   | 14       |
|           |          | 25%芬諾克可濕性粉劑   | 2,000   | 12       |
|           |          | 50%馬拉松乳劑      | 800     | 4        |
|           | 星天牛      | 40.64%加保扶水懸劑  | 100     | 10       |
| 10 至 12 月 | 柑桔葉蟬、網蝽  | 20%畢達本可濕性粉劑   | 3,000   | 6        |
|           |          | 50%芬佈賜可濕性粉劑   | 2,000   | 60       |
|           |          | 95%礦物油乳劑      | 95      |          |
|           |          | 5%芬普蟎水懸劑      | 1,000   | 21       |
|           | 薊馬       | 48.84%丁基加保扶乳劑 | 1,000   | 21       |
|           | 柑桔木虱、刺粉虱 | 44%大滅松乳劑      | 1,000   |          |
|           |          | 40.64%加保扶水懸劑  | 1,200   | 7        |
|           |          | 50%馬拉松乳劑      | 800     | 4        |
|           | 蚜蟲       | 50%馬拉松乳劑      | 800     | 4        |
|           |          | 40%丁基加保扶可濕性粉劑 | 1,200   | 20       |
|           |          | 40.64%加保扶水懸劑  | 1,200   | 10       |
|           | 介殼蟲      | 50%馬拉松乳劑      | 800     | 4        |
|           |          | 44%大滅松乳劑      | 1,000   |          |
|           |          | 95%礦物油乳劑      | 95      |          |
|           |          | 31.6%丁基加保扶乳劑  | 400     | 21       |
|           | 果實蛾      | 50%芬諾松乳劑      | 1,000   | 21       |
|           |          | 20%芬化利乳劑      | 2,000   | 9        |
|           |          | 25%馬拉松可濕性粉劑   | 100     |          |

梨蟲害防治曆

| 時 間       | 主要蟲害 | 藥 劑             | 稀釋倍數  | 安全採收期(天) |
|-----------|------|-----------------|-------|----------|
| 1 至 3 月   | 梨霜蚜  | 48.34%丁基加乳劑保扶   | 1,200 | 15       |
|           |      | 80%可濕性硫黃水分散性粒劑  | 400   |          |
|           |      | 50%加護滅必靈可濕性粉劑   | 1,000 | 9        |
|           | 介殼蟲  | 40.64%加保扶水懸劑    | 1,200 |          |
|           |      | 40.8%胸斯松乳劑      | 2,000 |          |
|           |      | 20%布芬三亞蟎乳劑      | 750   | 21       |
| 4 至 6 月   | 二點葉蟎 | 18.3%芬殺蟎水懸劑     | 3,000 | 9        |
|           |      | 20%畢達本可濕性粉劑     | 2,000 | 6        |
|           |      | 25.1%畢芬寧乳劑      | 5,000 | 12       |
|           | 木虱   | 25%布芬淨可濕性粉劑     | 1,500 | 9        |
|           |      | 18.3%芬殺蟎水懸劑     | 3,000 | 9        |
|           |      | 9.6%益達胺溶液       | 1,500 | 9        |
|           |      | 20%達特南水溶性粒劑     | 2,000 | 10       |
|           |      | 99%礦物油乳劑        | 300   |          |
|           | 梨霜蚜  | 48.34%丁基加保扶乳劑   | 1,200 | 15       |
|           |      | 80%可濕性硫黃水分散性粒劑  | 400   |          |
|           |      | 50%加護滅必靈可濕性粉劑   | 1,000 | 9        |
|           | 梨綠蚜  | 40%丁基加保扶可濕性粉劑   | 1,200 | 9        |
|           |      | 20%亞滅培水溶性粉劑     | 4,000 | 6        |
|           |      | 2.5%賽洛寧微乳劑      | 2,000 | 6        |
|           | 介殼蟲  | 40.64 加保扶水懸劑    | 1,200 |          |
|           |      | 40.8%胸斯松乳劑      | 2,000 |          |
|           |      | 20%布芬三亞蟎乳劑      | 750   | 21       |
| 7 至 9 月   | 梨木虱  | 25%布芬淨可濕性粉劑     | 1,500 | 9        |
|           |      | 18.3%芬殺蟎水懸劑     | 3,000 | 9        |
|           |      | 9.6%益達胺溶液       | 1,500 | 9        |
|           |      | 20%達特南水溶性粒劑     | 2,000 | 10       |
|           |      | 99%礦物油乳劑        | 300   |          |
| 10 至 12 月 | 梨木虱  | 25%布芬淨可濕性粉劑     | 1,500 | 9        |
|           |      | 18.3%芬殺蟎水懸劑     | 3,000 | 9        |
|           |      | 9.6%益達胺溶液       | 1,500 | 9        |
|           |      | 20%達特南水溶性粒劑     | 2,000 | 10       |
|           |      | 99%礦物油乳劑        | 300   |          |
|           | 梨霜蚜  | 48.34%丁基加乳劑保扶乳劑 | 1,200 | 15       |
|           |      | 80%可濕性硫黃水分散性粒劑  | 400   |          |
|           |      | 50%加護滅必靈可濕性粉劑   | 1,000 | 9        |

## 柿蟲害防治曆

| 時間     | 主要蟲害 | 藥劑          | 稀釋倍(倍) | 安全採收(天) |
|--------|------|-------------|--------|---------|
| 4至6月   | 斜紋夜盜 | 2.8%賽洛寧乳劑   | 2,000  | 6       |
|        |      | 9.6%益達胺溶液   | 1,500  | 12      |
|        |      | 19.7%得芬諾水懸劑 | 2,000  | 21      |
|        | 薊馬   |             |        | 未推薦藥劑   |
|        | 介殼蟲  |             |        | 未推薦藥劑   |
| 7至9月   | 斜紋夜盜 | 2.8%賽洛寧乳劑   | 2,000  | 6       |
|        |      | 9.6%益達胺溶液   | 1,500  | 12      |
|        |      | 19.7%得芬諾水懸劑 | 2,000  | 21      |
|        | 介殼蟲  |             |        | 未推薦藥劑   |
| 10至12月 | 介殼蟲  |             |        | 未推薦藥劑   |
|        | 斜紋夜盜 | 2.8%賽洛寧乳劑   | 2,000  | 6       |
|        |      | 9.6%益達胺溶液   | 1,500  | 12      |
|        |      | 19.7%得芬諾水懸劑 | 2,000  | 21      |

## 桃樹蟲害防治曆

| 時間     | 主要蟲害 | 藥劑        | 稀釋倍數(倍) | 安全採收(天) |
|--------|------|-----------|---------|---------|
| 1-3月   | 蚜蟲   | 2.8%畢芬寧乳劑 | 1,400   | 10      |
|        | 桑介殼蟲 | 95%夏油乳劑   | 20      |         |
|        | 二點葉蟊 | 1%密滅汀乳劑   | 1,000   | 15      |
| 4-6月   | 毒蛾類  | 2.8%賽洛寧乳劑 | 1,000   | 6       |
|        | 蚜蟲   | 2.8%畢芬寧乳劑 | 1,400   | 10      |
|        | 桑介殼蟲 | 95%夏油乳劑   | 20      | 0       |
|        | 二點葉蟊 | 1%密滅汀乳劑   | 1,000   | 15      |
|        | 桃折心蟲 | 2.8%賽洛寧乳劑 | 1,000   | 6       |
| 7-9月   | 桃葉蟬  | 3%亞滅寧水基乳劑 | 1,000   | 6       |
|        |      | 2.8%賽洛寧乳劑 | 1,000   | 6       |
|        | 蚜蟲   | 2.8%畢芬寧乳劑 | 1,400   | 10      |
|        | 二點葉蟊 | 1%密滅汀乳劑   | 1,000   | 15      |
| 10-12月 | 桃葉蟬  | 3%亞滅寧水基乳劑 | 1,000   | 6       |
|        |      | 2.8%賽洛寧乳劑 | 1,000   | 6       |
|        | 蚜蟲   | 2.8%畢芬寧乳劑 | 1,400   | 10      |
|        | 二點葉蟊 | 1%密滅汀乳劑   | 1,000   | 15      |



煎爛危害



柿子捲葉蛾



粉介殼蟲



吹綿蚧



小黃刺蛾



柑桔鳳蝶



柑桔綠介殼蟲



柑桔灰象鼻蟲



果實蠅



枯蚜



黃斑椿象



雞青枯夜蛾



刺粉蠹



薔薇蛾



銹蟬



烏桕查夜蛾



二點葉蟊



大避債蛾



小白紋毒蛾



小綠葉蟊



果實蠅



桃白介殼蟲



桃根粉介殼蟲



梨齒盾介殼蟲



中國梨木蝨



紅臘介殼蟲



梨木蝨



梨齒盾介殼蟲



ISSN 1683-9668



9 771683 966006

GPN:2008100106  
定價:20元